


Physician # _____ Anesthesiologist. _____ Ticket # _____
 Date of Service: ____/____/____ Physical Status 1 2 3 4 5 6
 Anes. Type: General MAC Regional



MIPS 76 - Prevention Central Line Infections (If billing CVP/Swan)
 6030F CVP/Swan-Max Sterile Barrier-Tech followed
 6030F-1P CVP/Swan-Max.Sterile Barrier-Tech not flldw-med.reason)
 6030F-8P Max.Sterile Barrier-Tech not flldw-other reason)
 (fails measure)

QUANTUM 31 - Central Line Ultrasound Guidance - All Ages
 10A66 Internal jugular site insertion
 10A67 Used ultrasound guidance
 10A68 Did not used ultrasound guidance (fails measure)
 11A39 Tunnelled Placement thru same,existing site as previously placed and currently indwelling non-tunneled placement.

MIPS 430 - Combo Rx for PONV -ADULT Check up to 3 boxes) -18 years and older
 4554F Inhalation GA used
 4556F Three or more risk factors for PONV (see list)
 G9775 Receive at least 2 anti-emetic agents/differnt classes
 G9776 Two anti-emetics not given for Med Reasons (allergy/intolerance)
 G9777 Two anti-emetics not given, Reason not specified (fails measure)
 4557F Pt had less than required Risk Factors
Risk Factors for PONV -Female Gender, HX of PONV, HX of motion sickness, Non-smoker, intended admin of opioids for post-op analgesia

MIPS 477 - Multimodal Pain Management
 All ages, requires 2 non-narcotic pain meds. (1 may be pain block or local infiltration)
 From 6 hours before anesthesia start to PACU discharge
 G2148 Multimodal pain management was used
 G2149 Doc. Med Rsn allergy to multiple classes of analgesics
 G2150 Multimodal pain management was not used (fails measure)
 M1142 Emergent Case

MIPS 463 - Combo Rx for POV - PEDIATRIC Ages 3 to 17
 4554F Inhalation GA used for maintenance
 G9955 Inhalation GA used only for induction
 G9954 Two or more risk factors for POV (see list)
 G9956 Receivd at least 2 anti-emetic agents/differnt classes
 G9957 Two anti-emetics not given for Med Reasons (allergy/intolerance)
 G9958 Two anti-emetics not given, Reason not specified (fails measure)
Risk Factors for POV Surgery >= 30 minutes Age >= 3 years Strabismus surgery. History of POV or PONV in parent or sibling

MIPS 404 Smoking Abstinence
 Only smokers (tobacco, e-cig, or THC) >=18 yo who were told not to smoke on DOS for elective surgery. **Otherwise leave blank**
 G9642 Current Smoker
 G9643 Elective Surgery
 G9644 Abstained from smoking prior to anes on day of surg
 G9645 Did not abstained prior to anes on day of surg

Adverse Event ? () No () Yes

 If "YES" is checked, write in event
PROVIDER: DO NOT LEAVE THIS SECTION BLANK !!!!!
(For Hospital Incentive Metrics)

AQI 56 - Use of Neuraxial Techniques and/or Peripheral Nerve Blocks for Total Knee Arthroplasty-TKA- ALL CASES with ASA Code 01402 All ages
 10A78 Neuraxial anesthesia and/or a peripheral nerve block was used for TKA (passes measure)
 11A09 Revision of TKA (If case is a revision, check this box)
OR
 11A10 Prosthesis Removal (If case is a prosthesis removal, check this box)
 11A01 Documentation of reason for not using neuraxial or peripheral nerve block (e.g., pt refusal)
 10A79 Neuraxial anesthesia and/or a peripheral nerve block was NOT used (fails measure)

MIPS 424 -Periop Temperature Mgt (Check up to 2 boxes)
 4255F Duration of Anesthesia >=60 mins
 G9771 General or Neuraxial -achv >= 35.5c (95.9f) record within 30 mins before / 15 mins after anes. end. (passes measure)
 G9772 General or Neuraxial -not achv >= 35.5c (95.9f) 30mins bef/15 mins aft anes.end. - med.reason
 G9773 General or Neuraxial -not achv >= 35.5c (95.9f) 30mins bef/15 mins aft anes.end. - reason-NOS (fails measure)
 G9654 Monitored Anesthesia Care -No General Anesthesia
 G9770 Peripheral Nerve Block